

DOI: 10.5281/zenodo.18355

NOTES ON NABATAEAN CONSTRUCTION TECHNIQUES: A CRITICAL REVIEW AND INVESTIGATION OF EL-KHAZNEH SLOTS FUNCTION

Naif A. Haddad

Department of Conservation Science, Queen Rania's Institute of Tourism and Heritage, Hashemite University, P.O. Box 3034, Amman 11181, Jordan (naifh@hu.edu.jo)

Received: 25/3/2015 Accepted: 06/05/2015

ABSTRACT

The Nabataeans were highly creative in their adaptation of the Greco-Roman construction techniques. Based on their specific natural resources and lexicon of architectural elements, the Nabataeans thus developed their own techniques. Indeed, the size and elaborate nature of many of their monuments would require such innovations, as physically manifested in the two vertical rows of slots located on the recessed back face wall on either side of the façade of el-Khazneh in Petra in Jordan. These slots have been a matter of some debate on whether their function was for footholds or for scaffolding. Though the slots have been discussed in passing, no scholar has made the in-depth critical investigation in determining their proper technical and functional approach with reference to their preserved fully recorded dimensions. Thanks to a recent study using a combination of 3D laser scanner and reflector-less total station, we now have precise measurements of the well preserved individual slots. This article is concerned with the particular case of these slots. A detailed examination of these slots in relation to their size and depth, position and arrangement within the façade, probably credits their use, both, as foot holes, and as supports for a smart and simple scaffolding structure. The paper suggests and exemplifies that, these slots are part of an authentic Nabataean construction technique, and they were the foundations used to fix a wooden lightweight socket in a diagonal changeabla cantilever scaffolding. This new assumption is supported with schematic sections and illustrations showing alternative combinations of the cantilever scaffolding at different slot heights, using the embedded putlog and diagonal bracing on which the planks are held. Thus, providing the basis for further research, hopefully encouraging a further knowledge of Nabataean scaffolding construction techniques of rock-cut architecture.

KEYWORDS: Rock-cut architecture; Socketed diagonal cantilever scaffolding; Putlogs; Nabataean Architecture; Construction techniques; el-Khazneh.

1. INTRODUCTION

Nabataean architecture reflects the collaborative spirit of the Hellenistic and Roman periods, where architects fluidly moved among various Eastern and Western cultures, seeking the highest artistic standards in both architectural design (Haddad, 1999,167-168; 2012) and construction techniques (Rababeh, 2005, 227). The Nabataean international trade and commercial activities, especially their relationship with Asia Minor, had been the major acknowledged influence on the Nabataean architectural renaissance (Al- Salameen 2008, 2011). In fact, some of the best preserved samples of late Hellenistic morphology, lies in the worn canyons of Nabataean Petra, delighting visitors and scholars alike with a stunning combination of oriental and western stylistic elements.

Many of the most monumental structures, such as the free standing Qasr al Bint temple, the rock-cut Theatre, and the funeral rock-cut structure at el-Khazneh (see, Fig. 1), were constructed at the height of the Nabataean Kingdom's prosperity, around the last century BCE and the beginning of first century CE. (Regarding their astronomical orientation see, Liritzis et al., 2015).

However, interestingly enough is Schmidt's (2001, 388) presumption, that there is no good reason to believe that the simpler rock-cut facades, showing stronger oriental influence, would be older than the richly decorated ones like el-Khazneh. On the other hand, through recent studies of the relationship between tombs carved at Petra, and the evidence of the later on dated Madāin Sālih rock-cut tombs, but also as evident from the chronological development of the earlier Macedonian tombs (Haddad, 1999; 2012) a pattern became evident whereby the larger and more complicated façade types tended to occur earlier than their smaller, simpler versions.

This proposed chronological façade tombs approach, from complex to more simple contrasts with more traditional typologically-based chronologies, which see a linear development from simple to complex in façade design (Wadeson, 2010,60-65; 2011).

In terms of size, the facades tended to vary according to type, the general rule being that the more complicated the façade design, the larger the façade must be, as for example the case of el-Khazneh. Certainly, the size was also influenced by the social status of the owner. In terms of el-Khazneh's architectural composition, some scholars (Lauter, 1971, 149-78; Lyttelton 1974, 53-60, 83; McKenzie 1990, 75-77; Will and Larché 1991, Schmid 2001, 386-7; Wenning 2003, 14; Rababeh 2005, n.169; Haddad, 2012) have connected el-Khazneh with that of Palazzo delle Colonne in Ptolemais, Cyrenaica. In fact, el-Khazneh typifies the Nabataean's distinctive baroque ap-

proach to rock- cut façade architecture, which seamlessly merges the late Hellenistic regional school and local traditions to form a new fully developed lexicon of architectural forms.




Figure 1. El-Khazneh, the treasury (25.3x39.1m). The slots are located on the recessed back wall on each side of the rock-cut façade.

The rock-cut façade of el- Khazneh (shown in Fig. 1) is conceived as an independent screen set in the front of the building, rather than as an organic or logical element of the structure as a whole.

On the other hand, the Nabataeans worked in perfect harmony with their environment, allowing the land's unique sandstone formations to shape their equally unique construction techniques. This adaptability allowed the architects, quarrymen and masons to be practical and economically efficient in their projects. This is not to say that the Nabataeans didn't borrow construction techniques from the wider Hellenistic and Roman world, but the techniques were specifically adapted to the nature of the landscape, representing a true fusion of technique. Rababeh (2005) concluded that the Nabataeans had their own unique construction techniques, which are as distinctive as their architectural style¹.

2. THE SLOTS OF PETRA'S EL-KHAZNEH: ANALYSIS OF THE BASIC FEATURES

Traces of slots are common throughout the primary quarries of Petra (Shaer and Aslan, 2000, 92, 114; Rababeh, 2005, 65-70). However the most characteristic of these can be clearly seen beside el-Khazneh (the treasury) (25.3x39.1m). The slots are located in

an inaccessible place beside el-Khazneh's back face, on the recessed wall on either side of the façade (as shown in Fig. 1).




Figure 2. Documentation of the fine survived slots of the left and the right side of the two vertical rows beside the El-Khazneh, in relation with the main architectural façade's elements.

Most of these slots have been preserved in good condition, while others have inevitably been eroded by water, wind and sand to the point of deterioration.

As shown in Figs (1, 2), there are two vertical rows of mostly square and rectangular holes, the dimension and position of which are slightly irregular. Both sets of slots start at about 12 m above the floor². Farajat and al-Nawafleh (2005) have noted that the starting of the slots' height is only a little above the top of the tombs carved before el-Khazneh, their upper parts of which were cut away when el-Khazneh was carved³. Their patterns do not detract from the façade's overall design, and seem to enhance the architectural ornaments of the second floor.

Thanks to a recent study, using a combination of 3D laser scanner and reflector-less total station, we now have precise measurements of the well preserved the individual slots. We were able to fully record 59 slots in good condition of the left side (shown in Fig. 3), and 30 visible slots to the right side⁴ (shown in Fig. 4). The measurement covered the four sides (A, B, C and D) and the depth (E) of each slot, as illustrated in Fig 5.

From the 3D mesh model of the 3D scanner (Mensi GS 100)⁵ it was possible to measure with the same needed accuracy as was conducted by the reflector-less total station (Leica T1800). The difference in measurements is between 0.2 - 2 cm (Haddad and Ishakat 2007, 358-361).

On the right side, their heights range from 15 - 46 cm, and their width from 15 - 35 cm. Similarly, the height on the left side ranges from 15 - 46 cm, while the width widens slightly to be between 20 - 40 cm. The detailed measurements are listed in table I and table 2 (see Appendix).

However, the cross section through each slot shows that it has a greater depth at the bottom (10-20 cm) forming triangles cut into the wall. The tops then have zero depth and blend back with the façade, as shown schematically in Fig. 5.

Fig. 5 also illustrates the three categories of these slots, in relation to their dimension and depth. Most of the slots' depth at the bottom ranges from 11-15 cm, while many others range from 18 - 20 cm.

On the left side, the horizontal distance between two slots ranges from 20 to 30 cm, while the vertical distance ranges from 15 - 35 cm. On the right side, the horizontal runs from 25 - 35 cm, while the vertical measures 15 - 40 cm.

3. CRITICAL REVIEW OF SCHOLARS AND RESEARCHERS' ASSUMPTIONS OF EL-KHAZNEH SLOTS FUNCTION

Firstly, it should be clarified that it is generally agreed that, the rock-cut façades carving procedure was a relatively simple method done from the top to bottom, and that as a first step, a flat narrow smooth working surface of the façade was created in front of the desired tomb façade after quarrying away the stone of the cliff's natural slope, followed by the carving of details (Kennedy, 1925; Parr 1968; Hammond 1973; Browning 1982; Rababeh, 1995, Bessac and Nehmé 2007; Haddad, 2012). Several unfinished tomb facades in Petra support this assumption, that reveal such a sequence of work.

although the question of el-Khazneh's slots function have been the topic of several studies the presence of theses slots in one of the largest and most elaborate rock-cut façades in Petra remains perhaps the most queried in Nabataean architecture, as such slots are preserved at el-Khazneh's façade (Parr 1968, 11; Bessac and Nehmé, 2007, 36).

These slots have been a matter of some debate on whether their function was for footholds or for scaffolding. Though the slots have been discussed in passing, no scholar has made the in-depth critical investigation in determining their proper technical and functional approach with reference to their fully recorded dimensions. This section presents a critical and analytical review of the suggested hypotheses and assumptions within the field, in an attempt to develop a divergent theory about their use and their technical functional approach.




Figure 3. Detailed documentation of 59 slots of the left side of the two vertical slots' rows, supported by photographic view showing the left edge/side of el-Khazneh back face.

Many researchers however have generally assumed that the slots of el-Khazneh were holds supporting a scaffolding. What has not been elucidated is the specifications of how this scaffolding technically worked, and the theory behind its construction.

An exception to this trend is Peter Parr (Parr, 1968, 10-11, n 28), who suggested that it is probable that these two vertical rows of holes on either side of el- Khazneh are the work of iconoclasts rather than the original builders.

Two dates were suggested by Parr for this defacement, either sometime before 417 CE, when the




Figure 4. Detailed documentation of 30 slots of the right side of the two vertical slots rows, spuorted by photographic views showing the right edge/ side of el-Khazneh back face.

Urn Tomb was converted to a church, or in 720-24 CE, when Caliph Yazid II sent a decree to destroy images and pictures throughout the Muslim world. Of the two explanations, Besancon (2000, 279) and Rababeh (2005, 71) believe that the latter suggestion is more likely, since the Byzantines never defaced animals.

However, Rababeh (2005, 71) states that "It is possible that the cuttings could still have been made by the carvers of el-Khazneh to move during work and then re-used by iconoclasts as a device to deface the figures in a later period".




Figure 5. Three dimensional sketches of the three characteristic categories of the slots (Rectangular and Square) showing their depth in relation with their length and width.

Rejoining mainstream thought, Browning (1973, 50) in his book *Petra*, initially suggests that wooden scaffolding was used in carving el-Khazneh. However in the fifth, new and revised edition (1982), he clarified that "there is still one other unsolved problem in the Wadi al Jarra with its clumps of soft green oleander".

Browning stated that, "on the recessed walls up to the side of the Khazneh façade are two rows of vertical footholds rising up the full height of the monument. The purpose of these cannot be determined. These footholds also occur on the walls of the quarries in the Wadi Siyagh and on the Attuf Ridge" (Browning 1982, 125).

McKenzie (1990, 143) stated more plainly that "there are two rows of roughly cut foot-holds on either side of the façade. Similar marks occur in the Nabataean quarry in Wadi Siyyagh".

Breaking from this line of argument, Pflüger (1995, 291-292) suggested that wooden scaffolding supported by poles was perhaps used in quarrying, though he only hesitatingly puts forward a rough schematic of the design used, shown in figure 6.

Perhaps the most weighty analysis of the slots' function was conducted by Rababeh (2005, 65-76). He assumes that, wooden scaffolding supported by poles would be astonishing in a city like Petra, which is poor in wood.

He continues to detail a variety of specific problems resulting from the use of wood, concluding that the idea that these slots were used for scaffolding to any extent is incredible (Rababeh, 2005, 71).

Though, there is no reason for believing that the Nabataean masons used wooden scaffolding supported by poles, which would have required enormous quantities of wood to reach the top of the quarries (Rababeh 2005, 70).

Rababeh assumes that the holes are only 55 cm apart, and the depth of the holes is not sufficient to hold wooden beams for constructing this huge scaffolding structure.




Figure 6. Wooden scaffolding suggested by Pflüger (After Pflüger 1995: Fig.4)

Additionally, craftsmen likely had to remain on the scaffolding for a long period to finish carving the monument, potentially up to three years⁷. Those three years would have caused the wood to rot or buckle.

In order to minimize the amount of wood required while maximizing the masons' reach, Rababeh suggests instead of that carved terraces were used at Petra to create horizontal working platforms, and he illustrated the steps of quarrying the niches using ladder, slots and ropes (shown Fig. 7).

More precisely, Rababeh proposes that a working platform was used in carving the different stages of el- Khazneh, and it is more likely that they used the adjacent hillside to reach the monument during the period of the work (Rababeh, 2005, 224).

In further investigation of the building's actual structure, Rababeh discusses two possible methods of carving. The first was to quarry the vertical surfaces and carve the decoration separately, as opposed to simultaneously completing both tasks.

For such major monuments as el-Khazneh, Rababeh leans toward the first method, supposing that workers may have needed to switch between levels within the quarry, even after the quarrying process had commenced (Rababeh 2005, 70 - 71).

Vertical single or double rows of hand and footholds, as seen on the surfaces of the primary quarries, thus enabled the needed rapid mobility throughout the site, while preventing slippage on the treacherous cliff sides.

In some cases, he estimates that the workers actually climbed the monument with the aid of ropes, which were possibly anchored in pairs of holes higher up the cliff⁸.




Figure 7. Reconstruction drawings suggested by Rababeh showing the steps of quarrying (After Rababeh, 2005: 69, Fig.3.23. b).

However, in the case of the conchoidal quarrying of the Wadi es-Siyyagh, where the stone was extracted from the near-vertical central part of the sloping cliff, Rababeh states that "It was too difficult to find access from above as mentioned in the stepped quarries. This indicates that the masons must have used scaffolding" (Rababeh 2005, 71).

Finally, contradicting Rababeh is Khairy (2011), who after the recent conducted excavations in front of el-Khazneh (Farajat and al-Nawafleh ,2005, 373–393), generally recommended that, "scaffolding was used on each of the levels of the rock-cut platform as work proceeded from the top down" (Khairy 2011,167).

However, Khairy did not provide any information or specifications of how this scaffolding worked, or the method used to construct it. He only stated that, "these [levels] were accessed by the footholds, or from scaffolding". Without any clarification he only mentioned that, somewhat of a third alternative combining the two theories suggesting that "short heights of scaffolding were erected on each rock platform as work proceeded down the rock-face" (Khairy 2011, 167).

4. DISCUSSION AND RESULTS

This section thus aims to critically and methodically examine the possibility of a particular wooden scaffolding technique used in el-Khazneh, while at the same time shedding light on the different sequenced stages of cutting the two floors' façade's cutting. Mainly, to undertake a task, that till now, was never accomplished.

Firstly, although the unfinished tomb facades assumption holds true for some of the rock hewn façades where, carving was done from the top to the bottom of a façade, it cannot be taken as a general rule. Unfinished tombs found throughout Petra show also cases where carving was simultaneously done at the top and the bottom of a façade, even also detailed architectural features were carved at the same time.

Very often, in order to simplify the carving process, the chamber ceiling was executed following the lithology of the sandstone layers (Shaer 2005, 61, fig. 5, 6). Rababeh (2005, 73) also mentioned that, as indicated by the unfinished tombs of el-Habis and at Caunus in Caria, the carving of the main chamber was carried out simultaneously with that of the main façade at the same level. However, carving simultaneously the rock-cut facade gave also the opportunity to test the quality and stability of the lithology of the sandstone layers. In fact, the excavating, carving, and finalizing of many tombs in Petra and Mada'in Saleh were carried out at the same time as the internal main chamber with its loculi, as seen from the unfinished tomb to the west of the temple of Qasr el-Bint in Petra (Khairy 2011,167).

On the other hand, if one considers that the slots were created before the carving and finalizing details stage of the pediment, capitals, cornices, and the internal main chamber, or even simultaneously with the main façade at the same level, the slots' general arrangement and formation would be cut in relation to the envisioned architectural elements, starting from the broken pediments of the second floor and stopping slightly below the capitals of the ground floor.

The three slots categories shown in figure 5, with their blatant differences in dimension, arrangement, and depth (as shown in table 1 and 2, see Appendix) cast doubt on the previously assumed slots' foothold function only, leading one to suppose that there was perhaps an intention behind their seemingly irregular design.

If we are to accept that, the slots were only footholds, the significant variety in their dimensions and formation requires considerable scholarly attention. Differences of more than 20 cm in height and width, and 8-10 cm in depth are not accidental, and must be accounted for in any explanation.

The quite regular formation of the slots at the inner Siq (Shaer and Aslan 2000, 114) quarry (shown in figure 8) perhaps underlines the intentionality of el-Khazeneh's irregularity, and unsurprisingly scholars have more unanimously agreed upon the former slots' use as footholds (Shaer and Aslan 1997, 223-4).




Figure 8. The quiet regular vertical formation of the slots at the quarry at the inner Siq (Shaer and Aslan 2000, 114, fig 3).

Perhaps even more extraordinary is the sheer distance between slots, which range from 15 - 40 cm (Haddad and Ishakat, 2007, 358), and the irregular height between the holes would also likely be uncomfortable for a person climbing the steep slopes of the cliff.

Yet the vertical distance from the base of one hole to that of the next is approximately 25 -45 cm, while some reach heights up to 35-45 cm, might making ascension by any worker a little treacherous. The rather large width of many of these slots would seem also extraordinary to be used only for a human foot, and to prevent workers from properly bracing their foot while climbing.

The average human's vertical reach, a suitable height between slots would be around 25-30 cm, while the width of the human foot is about 10-12 cm. Even if the suitable width is expanded to 15-20 cm, that is still significantly smaller than the majority of slots, which range from 25-35 cm and reach up to 38-45 cm in width. Though, the question remains, why to cut these slots with these obvious differences and variations in dimensions and arrangements.

As Rababeh and Browning concluded, the slots' use as purely footholes only is thus weak and unlikely, even this hypothesis and argument was weak yet when it was first used by Peter Parr. What then of the wooden scaffolding theory? Is it any more plausible?

In Petra, wood was unquestionably an extremely valuable structural material, as trees were rare in the arid desert climate. Kanellopoulos (2004, 221) has a lengthy discussion on Nabataean construction methods in the light of the limited timber resources and

working with sandstone. He examined the structural issues and their connection to the local geology, with consideration to environmental and economic factors. However, many examples show that the Nabataeans used wood in their monuments in various situations, if sparingly⁹.

For example, there are similar slots found in the interior walls of the Obelisk tomb (shown in figure 9). At the back wall (5.85m) of the squared space (5.9x5.7m), there is a broad recess (2.9x1.7x 3.2m) starting at 0.2 m above the floor.







Figure 9. Similar cut slots to el-Khazneh from the second tomb level at the back wall of the inner space at the Obelisk tomb.

In the middle of the two sides of this recess width, and at the height of 2 m approximately, there are two slots at each side that have the same section as the slots of el-Khazneh, which were likely used to fix wooden beams which supported a wooden shelf in the recess.

On the other hand, one should also consider the differing times required for carving such monument, depending upon its size and the richness of the ornamental elements. The architect had in his mind that, a 39 meter scaffolding supported by a pole structure, as suggested by Pflüger, is out of question for a structure of the size of el-Khazneh; it is time consuming and insufficient, compared to the rock-

cut horizontal working platforms proposed by Rababeh.

For the Nabataeans, it would actually have been time consuming, cumbersome and expensive to erect such scaffolding, especially with the huge number of monuments in Petra (more than eight hundred). Indeed, a 39 meter scaffolding structure would consume a forest full of timber, an extremely wasteful use of such a rare commodity¹⁰.

4.1 Investigation of the Slots Function by the So Called Socketed Cantilever Scaffolding

As fully built scaffolding structures remain equally unlikely, the question of the slots' functional approach still remains.

The key seems to be in the irregularity of the structure. This irregularity may therefore indicate an adjustability built into the structure, enabling modification according to the desired height of the worksite.

The following thus argue the potential of using the slots for fixing a simple lightweight system of changeable wooden cantilever scaffolding.

The slots of el-Khazneh form almost a vertical line, though some slots appear slightly curved and outside of the main vertical line, following instead the original line cut into the rest of the mountain face on either side of el-Khazneh.

In contrast, within the pairs of slots, most are aligned horizontally (shown in figures 3, 4). In fact, one can observe that the combination of the aforementioned cutting line and the remaining uncut back wall of the façade define these vertical and horizontal lines, even in many cases the distance between some of these slots.

Essentially, the depth of the slots is more than sufficient to hold wooden beams for constructing and supporting a comparatively lightweight changeable scaffolding structure.

According to the conducted measurements, where the detailed measurements are listed in table I and table 2 (see Appendix), the survived depth of the majority of the slots on either side of el-Khazneh is between 11-15 cm, while many others is between 18-20 cm. According to Khairy (2011, 167) the depth of the slots vary from 15 to 24 cm. However, some variations in slot depth can be accounted for by the effects of the weathering, though even in current conditions the slots could support the necessary wooden beams.

Though, we can explain the existing variations regarding the three categories of the slots (shown in Fig. 5), in relation to their dimension and depth, while they were not originally designed for footholds only, but furthermore for holding also wooden beams.

Due to the actual cut shape of the sections, we can suggest that one edge of a horizontal wooden beam was fixed inside the slot base, preventing it from moving upward. Even to ensure that this edge will not move up, it can be more secured by a small triangular wooden wedge. The other free edge of this beam was stabilized by another angled beam resting in a lower slot fastened by metal pins or even tied by a small piece of rope.

Furthermore, one can explain that the variety in slots' depth, in relation to their height, would have enabled workers to vary the vertical support beam's angle from the lower slots, as schematically illustrated in figures 10,11.

These schematic sections propose alternative combinations of the cantilever scaffolding at different slot heights, using the embedded putlog and diagonal bracing on which the planks are held. This arrangement also allows for more flexibility in the wooden beam lengths which could reach more than 1m (as shown in figures 10, 11). This suggested technique forms a lightweight changeable (temporary) wooden scaffolding system.

In fact, at a huge monument like el-Khazneh, the duration of time and the prior coordination required to finish such intricate carving would predicate the construction of such a lightweight scaffolding system.

In other words, in order to accomplish the vast quantities of detailed craftsmanship, workers would have to be able to move freely throughout these needed working levels of structure for extensive periods of time.

Thus, the intelligent architect of el-Khazneh developed and implemented an adaptable and changeable lightweight socketed cantilever scaffolding system, where on those horizontal beams rested the planking from which the work was carried out, thus supported the workers' varied movements throughout the massive structure's long construction.

As briefly mentioned above, the system consisted of two wooden beams underlying the platform, which was supported from below by some angled putlogs (as shown in Figs. 10, 11).




Figure 10. Schematic sections showing the potentiality of some alternative combinations of the cantilever scaffolding at different slot heights, using the embedded putlog and diagonal bracing on which the planks are held.

Analogous approach of this temporary Nabataean adjustable scaffolding, socketed to the masonry walls to replace the support of the wooden poles, was successfully used in the Greco-Roman world, as it is evident in many huge and high Roman walls.

These scaffoldings were presented and discussed by Adam (1984, 87-90, Fig. 182, 190) in his book Roman Construction: Material and Techniques, where the Roman builders used putlog scaffolding socketed to the masonry walls as the vertical support to replace the support of the wooden poles (as shown in Fig. 12).




Figure 11. Three dimensional schematic illustration showing the suggested scaffolding technique of using lightweight changeable wooden scaffolding system (socketed cantilever scaffold), and some possible working levels.

Two Roman scaffolding schemes were possible; either the vertical outer support by poles or the replaced poles by series of triangular trusses set against the wall face (as shown in Fig. 12). The putlog was strengthened on the face of the wall with a short vertical support and a diagonal brace, from one vertical support to another to increase the stability of the cantilevered scaffolding (Wright 2009, fig 79).

The so called Roman socketed cantilever scaffolding, usually had putlogs that could go through the wall and support the floor from both sides of the wall.

To economize on wood and at the same time to achieve a complete stability, series of holes were made as they progressed in the construction of the Roman masonry walls. The outer poles and the aligned masonry holes supported the scaffolding.

As in the case of el-Khazneh slots, it could also make away totally the poles if the wall was high enough, to support the embedding of the putlogs from one or two sides (Dodgeq, 1984, 191)¹¹.

Actually, the importance of this socketed cantilever scaffolding increased as the scaffolding rose higher. Finally, when the wall was completed, the scaffolding was removed, leaving behind the holes.




Figure 12. Roman socketed scaffolding: the outer vertical support by poles (1-left); socketed cantilever scaffolding by triangular trusses (2-right) (After Adam 1984, 87, fig 182).

However, in the case of el-Khazneh slots there is no need for the short vertical support. This while the supporting diagonal brace could be inserted and fixed entirely due to the particular slot cut and depth.

In conclusion, by accepting this suggested technique of the diagonal socketed cantilever scaffolding, we should also agree that this technique may have been applied to other parts of el-Khazneh façade, such as between the engaged columns and capitals. While carving the three bays for example, slots may have been temporarily cut into the façade, being later sanded away.

Finally, we might conclude that the architect wisely calculated and designed all the different progression sequenced stages of implementation before starting any work, as suggested (from stage 1 to 11) (as shown in Fig. 13).

It is also logical to assume that the Nabataean masons, would have been trained in and had mastered the necessary skills before they were allowed to participate in such very delicate and sophisticated construction tasks (Khairy, 2011, 168).



Figure 13. Photographic illustration showing the probable different sequenced stages (1-11) for the cutting order and final decoration finishing of el-Khazneh two floors' façade.

5. SUMMARY AND CONCLUDING REMARKS

Generally we can assume that, the Nabataeans developed their own construction techniques in ways specific to the particularity of structures built in Petra, taking into consideration the economical and practical aspects. Their techniques show a high level of creativity in adapting and finding technical solutions for carving a rock-cut monument such as el-Khazneh.

Indeed carving a monument as grandiose and imposing as el-Khazneh required significant strategic planning and innovation. The scarcity of wood and the plethora of sandstone presented broad challenges to the architect, challenges which were surmounted only by following a plan which laid out in a highly detailed fashion of the carving order and final decoration finishing processes, and their subsequent implementation (shown in Fig. 13).

The plan also had to coordinate the overwhelming number of labourers required to complete the project, including the teams of quarrymen, sculptors and painters. To a large extent, the needed mobility was facilitated by a series of slots, functioning as footholds and as the foundation for a lightweight changeable socket in diagonal cantilever scaffolding system, as evidenced by the slots' arrangement, dimensions and irregularity.

Due to the slot's cut-in shape, one edge of a horizontal wooden beam remains fixed inside the hole without it sliding upward, while the other free edge of the beam is stabilized by another angled beam resting in a lower slot, as shown schematically in

figure 10, 11. Upon studying this arrangement, one could feasibly suggest alternative support structures for the platforms.

It is shown here that, contrary to some recent suggestions, the genius architect created a unique light-weight and moveable wooden socketed diagonal cantilever scaffolding system, relying on a few thin beams and strategically cut slots. Although this scaffolding technique concept was initially conceived and thus borrowed from the Greco-Roman world (shown in figure 12), because of the particular land-scape formation in Petra and the level of detailed sculpture, the painted decorated stucco and materials available therein, the result is purely Nabataean.

Most critically, the suggested socketed cantilever scaffolding construction technique was developed and implemented solely by the Nabataean builders and architects themselves.

An acceptance of this scaffolding technique leads to the assumption that this practice might have been applied in other parts of el-Khazneh façade, even in other rock-cut facades in Nabataean Petra, though the traces have been removed. Said scaffolding technique provides the basis for further research, hopefully encouraging a further knowledge of Nabataean construction techniques. Scholars will thus be able to piece together a more complete picture of Nabataean architectural scaffolding construction methods.

6. APPENDIX

The following Tables 1, 2 are new results using 3D Laser scanner and total station (based on Haddad and Ishakat 2007, 358-361, tables 1, 2, 3, 4).

Table 1. Measurement recorded of 59 slots on the left side of the two vertical rows beside the El-Khazneh.

Comb	Combination of the measurement recorded using 3D Laser scanner and total station					
Slot ID	A	В	C	D	E	
1	230	170	225	195	90	
2	213	-	210	-	46	
3	310	200	317	210	82	
4	350	330	380	290	150	
5	300	430	400	470		
6	240	360	280	350	150	
7	350	320	340	400		
8	380	250	390	280	187	
9	420	390	416	400	-	
10	440	200	450	150	-	
11	380	225	360	220	134	
12	410	340	420	300	161	
13	360	360	427	328	174	
14	430	329	430	387	181	
15	254	270	249	282	158	
16	290	460	280	330	184	
17	290	400	280	400	195	
18	332	389	370	426	191	
19	312	310	320	373	190	
20	351	378	350	380	169	
21	260	350	280	349	201	
22	280	152	384	380	200	
23	250	401	310	390	160	
24	286	401	252	413	122	
25	400	408	380	420	194	
26	230	320	230	318	150	
27	310	380	327	400	207	
28	270	409	300	401	140	

29	200	354	262	307	82
30	321	397	326	449	198
31	260	270	255	274	66
32	230	245	246	268	37
33	250	142	243	109	100
34	198	176	205	110	113
35	250	350	248	330	180
36	280	340	270	328	150
37	200	250	226	237	115
38	137	271	200	265	145
39	220	264	224	276	157
40	210	228	250	221	127
41	200	256	200	270	137
42	197	270	265	310	163
43	205	302	205	294	156
44	200	240	203	250	117
45	202	267	190	270	160
46	267	310	260	305	117
47	270	346	259	340	122
48	255	316	264	310	110
49	250	210	270	240	100
50	240	321	264	375	128
51	219	335	247	390	112
52	319	346	300	346	166
53	320	337	305	324	117
54	326	351	340	402	150
55	290	330	210	350	102
56	320	455	264	478	150
57	400	310	237	263	100
58	280	270	330	270	114
59	300	290	390	330	55

	Combination of the measurement recorded us- ing 3D Laser scanner and total station					
Slot ID	A	В	С	D	Е	
1	220	140	180	151	90	
2	240	140	230	140	-	
3	180	220	190	297	121	
4	170	225	164	220	90	
5	230	320	240	328	120	
6	210	265	210	282	85	
7	260	290	267	254	120	
8	250	293	300	290	100	
9	237	260	277	302	134	
10	280	294	350	298	118	
11	300	242	320	212	110	
12	260	280	310	300	123	
13	340	266	330	287	140	
14	413	257	359	319	90	

Table 2. Measurement recorded of 30 slots of the right side of the two vertical rows beside the El-Khazneh

15	345	243	315	278	80
16	257	298	270	325	130
17	256	370	301	337	95
18	277	363	272	364	90
19	220	394	247	382	100
20	271	340	285	334	110
21	220	375	275	316	141
22	350	260	340	400	117
23	273	402	247	490	141
24	330	420	370	369	140
25	300	440	291	449	112
26	235	220	370	110	90
27	290	295	318	166	107
28	230	200	230	260	122
29	240	180	267	196	-
30	290	363	302	281	-

REFERENCES

Adam, J-P.(1984) La construction romaine: Matériaux et techniques. A éd. Paris: Picard.

Bessac, J-C. and Nehmé, L. (2007) *Le Travail de la pierre à Petra — Technique et economie de la taille rupestre*, Paris:Éditions Recherche sur les civilisations.

Al-Salameen, Z (2008) The Nabateans and Lycians. *Mediterranean Archaeology and Archaeometry*, Vol. 8, No. 2, 21-29.

Al-Salameen, Z. (2011) The Nabataeans and Asia Minor, *Mediterranean Archaeology and Archaeometry*, Vol. 11, No. 2, 55-78.

Besancon, A. (2000) The Forbidden Image. Chicago: Chicago University Press.

Browning, I.(1973) Petra. 1st ed. London: Chatto and Windus.

Browning, I. (1982) Petra. Rev. ed. London: Chatto and Windus.

Brünnow, R.E. and von Domaszewski, A. (1904) Die Provincia Arabia. Vol. 1, Strassburg: Trübner.

Dalley, S. and Goguel, A. (1997) The Sela' Sculpture: a New-Babylonian Rock Relief in Southern Jordan, *Annual of the Department of Antiquities of Jordan*, Vol. 41, 169-77.

Dodgeq, H. (1984) Building Materials and Technique in the Eastern Mediterranean from the Hellenistic Period to the Fourth Century AD. PhD Thesis. University of Newcastle.

Farajat, S. and Nawafleh, S. (2005) Report on the al-Khazna courtyard excavations at Petra (2003 Season), *Annual of the Department of Antiquities of Jordan*, Vol. 49, 373–393.

Kanellopoulos, Ch.(2004) The Temples of Petra: An Architectural Analysis, *Archäologische Anziger*, Vol. 1, 221-239.

Kennedy, A. (1925) Petra: Its History and Monuments. London: Country Life.

Haddad, N. (1999) Macedonia, Alexandria, Petra: Tomb Architecture, In: *International Congress, Alexander The Great: From Macedonia to the Oikoumene*, Veria, 27–31. 5. 1998, Nomarchiake Autodioikese Hemathias, Greece, 161-171.

Haddad, N. (2012) Aspects of the Particularity and Creativity of the Nabataean Architectural Culture during the Late Hellenistic and Roman period, In *The First International Conference of the Nabataean Culture*, Petra: 5 – 8 May 2012.(In press).

Haddad, N. and Ishakat, F. (2007) 3D Laser Scanner and Reflectorless Total Station: A Comparative Study of the Slots of El-Khazneh at Petra in Jordan, In *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 36,5/C53, (October 2007), 356-361.

Hammond, P.C. (1973) The Nabataeans - Their History, Culture and Archaeology. Gottenburg: Paul Äströms.

Khairy, N. (2011) The Mada'in Saleh Monuments and the Function and Date of the Khazneh in Petra, *Palestine Exploration Quarterly*, Vol. 143, No. 3, 167–175.

Kühlenthal, M. and Fisher, H. (2000) Petra. The Restoration of the Rockcut Tomb Facade: German-Jordanian Project for the Establishment of a Conversation Center in Petra. Munich: Karl M. Lipp.

Lauter, H. (1971) Ptolemais in Libyen: Ein Beitrag zur Baukunst Alexandrias, *Jahrbuch des Deutschen Archäologischen Instituts*, Vol. 86, 149-78.

Liritzis, I, Alotaibi, F.M, Castro, B, Drivaliari, A (2015) Nabatean tombs orientation by remote sensing: Provisional results. *Mediterranean Archaeology & Archaeometry*, Vol.15, No.3, 289-299.

Lyttelton, M. (1974) Baroque Architecture in Classical Antiquity. London: Thames and Hudson.

McKenzie, J.(1990) The Architecture of Petra. Oxford: Oxford Univ. Press.

Netzer, E.(2003) Nabatäische Architektur. Mainz: von Zabern.

Parr, P. (1968) The Investigation of Some 'inaccessible' Rock-cut Chambers at Petra. *Palestine Exploration Quarterly*, Vol. 100, 5-16.

Pflüger, F. (1995) Archaeo-Geology in Petra, Jordan. Annual of the Department of Antiquities of Jordan, Vol. 39, 281-97.

Rababeh, Sh. M. (2005) How Petra was Built, British Archaeological Reports International Series 1460. Oxford.

Schmid, S. (2001) The Nabataeans: Travellers between Life Styles, *Levantine Archaeology I. The Archaeology of Jordan*, 367-426. ed. B. MacDonald, R. Adams, and P. Bienkowski. Sheffield: Sheffield Academic Press.

Shaer, M. (2005) The Decorative Architectural Surfaces of Petra, PhD Thesis, Technische Universität München.

Shaer, M. and Aslan, Z. (1997) Architectural Investigation on the Building Techniques of the Nabataeans with Reference to Tomb 825. *Annual of the Department of Antiquities of Jordan*, Vol. 41, 219-31.

Shaer, M. and Aslan, Z. (2000) Nabataean Building Techniques with Special References to the Architecture of Tomb 825 (Tomb of Fourteen Graves), eds. Kühlenthal and Fisher, 89-109.

Wadeson, L. (2010) The Chronology of the Façade Tombs at Petra: a Structural and Metrical Analysis, *Levant*, Vol. 42, No. 1, 48-69.

Wadeson, L. (2011) Nabataean tomb complexes at Petra: new insights in the light of recent fieldwork. http://www.ascs.org.au/news/ascs32/Wadeson.pdf

Wenning, R. (2003) The Rock-Cut Architecture of Petra", Markoe, 133-43.

Will, E. and Larché, F. (1991) *Iraq Al-Amir, Le château du Tobiad Hyrcan*. Paris: Libraire Orientaliste Paul Geuthner.

Wright, G.R.H. (2009) Ancient Building Technology, Vol. 3, Brill.

FOOTNOTES

- ¹ "it appears that the architectural elements were derived mainly from outside contact, while local materials determined the actual construction techniques", (Rababeh 2005, 227).
- ² According to Khairy (2011, 167), the slots begin at about 11 m above the rock-cut platform in front of the Khazneh. According to Rababeh (2005, 71), the slots start at 10 m above the floor, and reach only as far as the eagle acroterion of the upper order.
- ³ These tombs included one directly in front of the present rock-cut steps to el-Khazneh, Tomb 62D (the 'Window Tomb') and its pediment still survives. It was carved before the tomb to its left, Tomb 62E (the 'Staircase Tomb') which was not completed inside and was apparently a Hegr Tomb type, (Farajat and al-Nawafleh 2005, 378-380).
- ⁴ The study used a 3D laser scanner (Mensi GS 100) to build a 3D mesh model, and a modern reflector-less total station (Leica). For the precise measurement of the slots, refer to Table 1, 2, 3, 4, Haddad and Ishakat 2007, 358-361.
- 5 TLS medium-range time-of-flight MENSI GS100; panoramic field of view of 360° (horizontal) and 60° (vertical), 5000 points per second. This scanner incorporates an internal colour calibrated video camera that has a maximum resolution of 768 x 576 pixels. The standard deviation of a single distance measurement is 6 mm at 100 m.
- ⁶ According to Rababeh (2005, 71), the distance between the adjacent rows varies from 30 to 45 cm. The height and width of the slots range from 25 to 30 cm. The vertical distance from the base of one step to that of the next is approximately 55 cm. A vertical section through one slot shows that it has a greater depth at the bottom, c.10 cm, than at the top, zero.
- ⁷ According to Rababeh (2005, 71), the DGTZ needed two years simply to carry out the restoration of the Tomb 825. On the basis of discussions with Bedoul stone workers, and his own experience as an architect, Rababeh calculates that "it would have taken approximately three years to complete el-Khazneh".
- ⁸ According to Rababeh (2005, 70-71) this method was used by Dalley and Goguel (Dalley and Goguel 1997, 169-77), to explore the Neo-Babylonian rock relief of Sela', 50 km north of Petra, as part of their study, it was to find out how access was obtained and what kind of scaffolding had been used to carve the relief. Rababeh believes that the technique of using ropes for scaling cliffs was traditional in the Edomite area and could have been continued by the Nabataeans, and

there is also the possibility of letting rope down from the top (Fig. 3.23b). Rababeh assumes that, if the cliff surface is very smooth and steep, footholds can be cut.

⁹ In Petra, wood traces are sometimes left in both freestanding buildings and rock-cut monuments as has been noted at Qasr Bint, Wadi Ram, Mampsis, Qasr Rabbah, Edh-Dharih and Qasarwat. For example, wooden beams ran north-south on the level of the roof of the cella of the Qasr el-Bint, while in the "Great Temple", the reconstructed parts of the exterior wall contain a wooden course similar to that of the Qasr el-Bint. For more examples see Kanellopoulos, (2004, 222) and Rababeh (2005, 46-47).

¹⁰ Rababeh (2005, 71) mentioned that "to carry the weight of the masons and the quarried blocks, a huge quantity of wooden beams would have been needed to construct firm scaffolding for el-Khazneh". He supported this argument by the example of the DGTZ steel scaffolding of the Tomb 825 (Kühlenthal and Fischer 2000), "One can imagine the amount of wood needed by looking at the DGTZ steel scaffolding, which was constructed to enable conservation work to be carried out on the façade of the rock-cut monument adjacent to the Tomb 825. Ten levels of steel were used to secure the scaffolding, (shown in Fig. 3.25b). If the structure had been built of wood a much greater volume of material would have been required, since the tensile strength in a wooden beam is less than that in a steel beam of same cross section of DGTZ scaffolding are about 2 m apart".

¹¹ According to Dodgeq (1984, 191), in some cases the putlogs were actually anchored within the fabric of the wall, sometimes going right through, for instance, in Gaul in the 'Temple of Janus' at Autun, Plate 126, putlog holes are particularly in evidence at the springing line of vaults.